L Number	Hits	Search Text	DB	Time stamp
31	0	semantic\$ same synonym\$3 same languag\$3 with	USPAT;	2004/07/21 11:07
		translat\$5 same user with expan\$4	US-PGPUB	
32	0	semantic\$ same defin\$6 same languag\$3 with	USPAT;	2004/07/21 11:07
		translat\$5 same user with expan\$4	US-PGPUB	2004/07/21 11:07
33	0	semantic\$ same defin\$6 same languag\$3 with	USPAT; US-PGPUB	2004/07/21 11:07
34	12	translat\$5 same user with expan\$6 semantic\$ same defin\$6 same user with	USPAT;	2004/07/21 11:11
34	12	expan\$6	US-PGPUB	2004/07/21 11:11
35	0	("no" "not" "none") near3 (found\$3 find\$3	USPAT;	2004/07/21 11:14
		locat\$3) with (equal\$3 correspond\$3 match\$3	US-PGPUB	
		equival\$5) with (synonym\$3 semantic\$3) same		•
		user with (expan\$6 enter\$3 input\$4 creat\$3)		
36	0	,	USPAT;	2004/07/21 11:14
		locat\$3 determin\$3 identif\$4) with (equal\$3	US-PGPUB	
		correspond\$3 match\$3 equival\$5) with		
		(synonym\$3 semantic\$3) same user with (expan\$6 enter\$3 input\$4 creat\$3)		
37	0	("no" "not" "none" "isn't" "is not") near7	USPAT;	2004/07/21 11:14
3 /	·	(found\$3 find\$3 locat\$3 determin\$3	US-PGPUB	2004/07/21 11:14
		identif\$4) with (equal\$3 correspond\$3	33 1 31 32	
		match\$3 equival\$5) with (synonym\$3		
		semantic\$3) same user with (expan\$6 enter\$3		
		input\$4 creat\$3)		
38	0	("no" "not" "none" "isn't" "is not") with	USPAT;	2004/07/21 11:15
		(found\$3 find\$3 locat\$3 determin\$3	US-PGPUB	
		identif\$4) with (equal\$3 correspond\$3 match\$3 equival\$5) with (synonym\$3		
		semantic\$3 equival\$5 with (synonym\$5   semantic\$3) same user with (expan\$6 enter\$3		
		input\$4 creat\$3)		
39	8	("no" "not" "none" "isn't" "is not") with	USPAT;	2004/07/21 11:32
		(found\$3 find\$3 locat\$3 determin\$3	US-PGPUB	
		identif\$4) with (equal\$3 correspond\$3		
		match\$3 equival\$5) with (synonym\$3		
		semantic\$3) same (expan\$6 enter\$3 input\$4		
40	12	creat\$3)  ("5278980"   "5325298"   "5576954"	USPAT	2004/07/21 11:22
40	12	("5276960"   "5325296"   "5376954"     "5675819"   "5724571"   "5794178"	USPAI	2004/07/21 11:22
		"5819258"   "5930783"   "6038560"		
•		"6088692"   "6101492"   "6175829").PN.		
41	705		USPAT;	2004/07/21 11:33
		(found\$3 find\$3 locat\$3 determin\$3	US-PGPUB	
		identif\$4) with (equal\$3 correspond\$3		
		match\$3 equival\$5) same user with (expan\$6		
142	4.4	enter\$3 input\$4 creat\$3 alternat\$3) ("no" "not" "none" "isn't" "is not") with	USPAT;	2004/07/21 11:43
42	44	(found\$3 find\$3 locat\$3 determin\$3	US-PGPUB	2004/07/21 11:43
		identif\$4) with (equal\$3 correspond\$3	OS FGFOB	
		match\$3 equival\$5) with (synonym\$3		
		semantic\$3 word\$3 phras\$3) same user with		
	:	(expan\$6 enter\$3 input\$4 creat\$3 alternat\$3)		
43	4		USPAT;	2004/07/21 11:45
		(found\$3 find\$3 locat\$3 determin\$3	US-PGPUB	
		identif\$4) with (equal\$3 correspond\$3 match\$3 equival\$5) same (synonym\$3		
		semantic\$3   same user with (expan\$6 enter\$3		
		input\$4 creat\$3 alternat\$3)		
44	1055	user\$3 with expand\$3 with informat\$5	USPAT;	2004/07/21 11:46
1		•	US-PGPUB	
45	5	user\$3 with expand\$3 with informat\$5 same	USPAT;	2004/07/21 11:47
1		semantic\$5	US-PGPUB	0004/07/07
46	107	user\$3 with expand\$3 with informat\$5 and semantic\$5	USPAT;	2004/07/21 11:47
47	10	semanticss   user\$3 with expand\$3 with informat\$5 same	US-PGPUB USPAT;	2004/07/21 11:49
* '	10	templat\$3	US-PGPUB	2004/07/21 11:49
48	36	user\$3 with expand\$3 with informat\$5 and	USPAT;	2004/07/21 11:56
		semantic\$5 and templat\$3	US-PGPUB	, == ===
49	0	user\$3 with expand\$3 with (informat\$5	USPAT;	2004/07/21 11:59
]		definit\$4 defin\$3) with (match\$ locat\$3	US-PGPUB	
1		determin\$3 identif\$4) same (equal\$3		
		equival\$5 semantic\$5) with (data\$bas\$3		
		vocabular\$ knowledg\$3)	L	L

4	>

50	170	user\$3 with (informat\$5 definit\$4 defin\$3) with (match\$ locat\$3 determin\$3 add\$5 identif\$4) same (equal\$3 equival\$5 semantic\$5) with (data\$bas\$3 vocabular\$ knowledq\$3)	USPAT; US-PGPUB	2004/07/21 12:00
51	36	1	USPAT; US-PGPUB	2004/07/21 12:11
52	0	1	USPAT	2004/07/21 12:09
53	1	•	USPAT; US-PGPUB	2004/07/21 12:14
54	799	user\$3 adj2 (informat\$5 definit\$4 defin\$3) with (match\$ locat\$3 determin\$3 add\$5 identif\$4) same (equal\$3 equival\$5 semantic\$5)	USPAT; US-PGPUB	2004/07/21 12:16
55	206	user\$3 adj2 (informat\$5 definit\$4 defin\$3) with (match\$ locat\$3 determin\$3 add\$5 identif\$4) with (equal\$3 equival\$5 semantic\$5)	USPAT; US-PGPUB	2004/07/21 12:18
56	40	1	USPAT; US-PGPUB	2004/07/21 12:22
57	4		USPAT; US-PGPUB	2004/07/21 12:25
58	14	user\$3 with (alternat\$5 semant\$ word\$ synonym\$3 vocabular\$3 phras\$3) with (match\$ search\$3 locat\$3 determin\$3 add\$5 identif\$4) with (equal\$3 equival\$5) with (semantic\$5)	USPAT; US-PGPUB	2004/07/21 12:28
59	6		USPAT; US-PGPUB	2004/07/21 12:31
60	77		USPAT; US-PGPUB	2004/07/21 12:32
61	77		USPAT; US-PGPUB	2004/07/21 12:41
62	0	not speech and user\$3 adj3 (alternat\$5) with (word\$ synonym\$3 vocabular\$3 phras\$3) same (find\$3 search\$3 locat\$3 determin\$3 add\$5 identif\$4) with semantic\$3 with (equal\$3 equival\$5 match\$3)	USPAT; US-PGPUB	2004/07/21 12:43
63	0		USPAT; US-PGPUB	2004/07/21 12:43
64	0	user\$3 adj5 (alternat\$5) with (word\$ synonym\$3 vocabular\$3 phras\$3) same (find\$3 search\$3 locat\$3 determin\$3 add\$5 identif\$4) with semantic\$3 with (equal\$3 equival\$5 match\$3)	USPAT; US-PGPUB	2004/07/21 12:44
65	0		USPAT; US-PGPUB	2004/07/21 12:44
66	0		USPAT; US-PGPUB	2004/07/21 12:44

67	11		USPAT;	2004/07/21 12:48
	į	alternat\$3 word\$ synonym\$3 vocabular\$3	US-PGPUB	
		phras\$3) same (find\$3 search\$3 locat\$3		
		determin\$3 add\$5 identif\$4) with semantic\$3		
		with (equal\$3 equival\$5 match\$3)		1
68	11	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/07/21 12:51
		user near2 semant\$5	US-PGPUB	
69	0	user with enter\$5 near2 semant\$5 with	USPAT;	2004/07/21 12:51
	·	equival\$5	US-PGPUB	l
70	1		USPAT;	2004/07/21 12:56
	_	equival\$5	US-PGPUB	
71	0	,	USPAT;	2004/07/21 12:58
		templat\$ item) with user\$ with expan\$5 and	US-PGPUB	
	22	704.clas.	HODAM	2004/07/21 15 27
72	23	(blank\$3 empt\$3) with (field\$3 table\$ templat\$ item) with user\$ and 704.clas.	USPAT; US-PGPUB	2004/07/21 15:37
75	1	6385568.pn.	USPAT;	2004/07/21 15:00
/5	1	6365566.pii.	US-PGPUB	2004/07/21 15:00
76	19	("4641264"   "4954984"   "4980829"	USPAT	2004/07/21 15:00
/6	19	"5005127"   "5091876"   "5285386"	USPAI	2004/07/21 15:00
:		"5311429"   "5353221"   "5490061"		
		"5523946"   "5535120"   "5587902"		
		"5587903"   "RE35464"   "5612872"		
İ		"5646840"   "5677835"   "5787386"		
		"5995920").PN.		ĺ
82	1612		USPAT;	2004/07/21 15:37
J2	1012	templat\$ item) with user\$	US-PGPUB	2001/07/21 13.37
83	0	l	USPAT;	2004/07/21 15:38
05		templat\$ item) with user\$ near2 (expan\$5)	US-PGPUB	2001, 07, 21 23:30
84	10		USPAT;	2004/07/21 15:42
0.		templat\$ item) same user\$ near2 (expan\$5)	US-PGPUB	
85	681	user near2 defin\$3 near2 (word\$ phras\$3	USPAT;	2004/07/21 15:43
		concept\$3 text\$3)	US-PGPUB	= = = = =
86	15	user near2 defin\$3 near2 (word\$ phras\$3	USPAT;	2004/07/21 15:46
		concept\$3 text\$3) same semantic\$	US-PGPUB	
87	106		USPAT;	2004/07/21 15:46
		concept\$3 text\$3) and (polysemous semantic\$)	US-PGPUB	
88	1	user near2 defin\$3 near2 (word\$ phras\$3	USPAT;	2004/07/21 15:47
		concept\$3 text\$3) same updat\$ and	US-PGPUB	
		(polysemous semantic\$)	i	ļ
-	2	(("5418717") or ("5285386")).PN.	USPAT;	2004/07/09 16:34
			US-PGPUB	
-	104	1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2004/07/09 16:36
		man\$assist\$ assist\$4) near3 translat\$5	US-PGPUB	1
-	8		USPAT	2004/07/19 12:59
-	0	,	USPAT;	2004/07/19 14:28
		field\$3 templat\$3)	US-PGPUB	
-	0		USPAT;	2004/07/19 14:29
		field\$3 templat\$3)	US-PGPUB	
-	1		USPAT;	2004/07/19 14:31
1	1	field\$3 templat\$3)	US-PGPUB	
-	15		USPAT;	2004/07/19 14:47
1		field\$3 templat\$3)	US-PGPUB	
-	10	[ '	USPAT	2004/07/19 14:38
		"4829423"   "4954984"   "5175684"		
İ		"5225981"   "5243519"   "5677835"		
:	1500	"5995920").PN.		2004/07/70 14 40
-	1538	semantic\$5 with (tabl\$3 field\$3 templat\$3)	USPAT;	2004/07/19 14:48
	1 20	compatings with (tables fields townlates)	US-PGPUB	2004/07/10 15:04
_	29		USPAT;	2004/07/19 16:04
	1 30	same (dis\$ambiguat\$5 ambigu\$7)	US-PGPUB	2004/07/19 14:53
1 -	16		USPAT	2004/07/19 14:53
-	10		USPAT	2004/07/19 15:04
		"4942526"   "4958285"   "5056021"     "5132901"   "5181163"   "5289375"		
İ		l ' '		
l _	2	"5353221").PN.   interactiv\$5 with (dis\$ambiguat\$6) same	IICDAT.	2004/07/19 16:15
-	2	semantic\$5	USPAT; US-PGPUB	2004/07/13 10:15
_	33	interactiv\$5 with semantic\$5 and (704.clas.)	USPAT;	2004/07/19 16:25
	33	Interactives when semantices and (104.01as.)	US-PGPUB	=001,01,15 10:25
l _	76	interactiv\$5 and (704/2.ccls.)	USPAT;	2004/07/19 16:26
	/ /	2	US-PGPUB	-551, 57, 15 16:28
	<u> </u>		JU FGFOB	L

and disambiguatis					
12   USPAT;   USPAT	-	12	interactiv\$5 and (704/2.ccls.) and semantic\$	USPAT;	2004/07/19 16:30
12   USPAT;   USPAT				US-PGPUB	
US-6658627-\$ or US-6385568-\$ or US-5893134-\$ or US-6216958-\$ or US-6163785-\$ or US-5893134-\$ or US-5824591-\$ or US-5824591-\$ or US-5824591-\$ or US-5824591-\$ or US-5824591-\$ or US-5825937-\$ or US-5824591-\$ or US-5825931-\$ or US-5825927-\$ or US-582591-\$ or US-5825931-\$ or US-5827902-\$ "S587902" "S587902" "S587902" "S587903" "RS587903" "RS587903" "RS5879031" "RS587		251			2004/07/20 09-26
12 (US-6658627-\$ or US-618785-\$ or US-5893134-\$ or US-5623699-\$ or US-5623699-\$ or US-5623699-\$ or US-5623699-\$ or US-56236370-\$ or US-5056021-\$).did.	-	321	704/2.CCIS.	I -	2004/01/20 09:36
US-623693-\$ or US-616730-5 or US-50893134-\$   US-625535-\$ or US-526927-\$ or US-5809297-\$ or US-5809929-\$ or US-580929-\$ o	:				
US-623693-\$ or US-616730-5 or US-50893134-\$   US-625535-\$ or US-526927-\$ or US-5809297-\$ or US-5809929-\$ or US-580929-\$ o		12	(US-6658627-\$ or US-6385568-\$ or	USPAT	2004/07/20 08:14
Or US-562553-\$; Or US-5528491-\$ or US-5644798-\$ or US-564798-\$ or US-564798-\$ or US-5667370-\$ or US-567332-\$ or US-56732-\$ or US-					† - · · · · · · · · · · · · · · · · · ·
US-5844788-\$ or US-5809297-\$ or US-5447780-\$ or US-6167370-\$ or US-505021-\$).did.   19					4
Or US-5167370-\$ or US-5056021-\$).did.				l	1
19			US-5844798-\$ or US-5809297-\$ or US-5442780-\$		1
19					
"5005127"   "5091876"   "528386"   "551922"   "559021"   "5523946"   "55153122"   "5549061"   "562072"   "554902"   "5549031"   "8125464"   "5612872"   "5646840"   "5678835"   "5787386"   "595920"   "599920"   "5012872"   "5646840"   "5677835"   "5787386"		10		TICDAM	2004/07/20 08-26
"\$311429"   "\$353222"   "\$59061"   "\$587903"   "\$587903"   "\$587902"   "\$587903"   "\$587903"   "\$587902"   "\$587903"   "\$587903"   "\$587903"   "\$587902"   "\$587903"   "\$787386"   "\$787	- [	19	'	USPAI	2004/07/20 08:26
"\$523946"   "\$533120"   "\$5408102"   "\$5408102"   "\$540840"   "\$612812"   "\$640840"   "\$677835"   "\$787386"   "\$7995920"). Name of the process of the proc			"5005127"   "5091876"   "5285386"		
"5587903" "RE35464" "5617835" "5787386" "5995920").PN.  - 309 704/8.ccls.			"5311429"   "5353221"   "5490061"		İ
"5587903" "RE35464" "5617835" "5787386" "5995920").PN.  - 309 704/8.ccls.			"5523946"   "5535120"   "5587902"		
"5646840"   "5677835"   "5787386"	ł l				
"5995920").PN.   704/8.ccls.   USPAT; US-PGPUB   USPAT; US-PGPUB   USPAT; USP			, , , , , , , , , , , , , , , , , , , ,		
-   309   704/8.ccls.	[				
1			"5995920").PN.		
1	_	309	704/8 ccls.	USPAT:	2004/07/20 09:36
Cammantics polysemous  with (templats   US-PAT: US-PGPUB   US-PAT: U		30)	701/0.0015.	-	2001,0:,20 03:30
cable\$3) with multip\$\$ with languag\$3					
Caemantic\$ polysemous  with (templat\$ table\$3) same multip\$5 with languag\$3	-	1		USPAT;	2004/07/20 12:17
Caemantic\$ polysemous  with (templat\$ table\$3) same multip\$5 with languag\$3			table\$3) with multip\$5 with languag\$3	US-PGPUB	1
Table\$3) same multip\$\$ with languag\$3	_	-	(gemantics polygemous) with (templats	1	2004/07/20 12:19
103	-	,	(Semantites polysemous) with (templats	1	2004/0//20 12:18
table\$3) with languag\$3	ļ				1
table\$3) with languag\$3	-	103	(semantic\$ polysemous) with (templat\$		2004/07/20 12:36
131				US-PGPUB	
multipl33 plural\$5 several different   US-PGPUB		121			2004/07/20 12:40
	-	131		1	2004/07/20 12:49
(translat55)				US-PGPUB	1
(translat55)			semant\$5 polysemous) with (languag\$3) with		1
-   1			1		
16		,	, ·	IIGDAT	2004/07/20 12:44
"5371674"   "5373441"   "5386556"   "5497319"   "5493678"   "5499678"   "5497319"   "5587903"   "5659765"   "5677835"   "5884247"   "5995918"   USPAT; US-PGPUB   USPAT; US-	-	_			
#5426583" "5490061" "5490061" "5493678" "5659765" "5677835" "5884247" "5995918" "59757835" "5884247" "5995918" "59757835" "5884247" "5995918" "US-PGPUB "US-PAT; US-PGPUB USPAT;	-	16		USPAT	2004/07/20 12:45
#5426583" "5490061" "5490061" "5493678" "56797835" "5884247" "5995918" "597938" "597938" "598920").PN.  4022 704.clas. and (constrain\$3 restrict\$3) USPAT; US-PGPUB USPAT; US-			"5371674"   "5373441"   "5386556"		1
#5497319" "5587903" "5687965"   #5697835" "5884247" "5995918"   #5995920").PN.  4022 704.clas. and (constrain\$3 restrict\$3)			1 ! !		
- 4022 704/2,8.ccls. and (constrain\$3 restrict\$3) USPAT; 2004/07/20 12:50 USPAT; USPATUS Equival\$6 match\$3 user\$3 with (enter\$3) with (equal\$3 equival\$6 match\$3 uSPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPEPUB equival\$6 with (equal\$3 equival\$6 match\$3 uSPAT; U				1	1
1					
- 4022 704.clas. and (constrain\$3 restrict\$3) USPAT; US-PGPUB - 226 704/2,8.ccls. and (constrain\$3 restrict\$3) USPAT; US-PGPUB - 30 704/2,8.ccls. and (constrain\$3 restrict\$3) USPAT; US-PGPUB - 30 704/2,8.ccls. and (constrain\$3 restrict\$3) USPAT; US-PGPUB - 30 templat\$3 with "all" with semantic\$ with information USPAT; US-PGPUB - 31 templat\$3 with semantic\$ near3 information USPAT; US-PGPUB - 42 templat\$3 with semantic\$ with information USPAT; US-PGPUB - 42 templat\$3 with semantic\$ with information USPAT; US-PGPUB - 42 templat\$3 with concept\$5 and Concept\$5 with (various\$3 multipl\$3 plural\$3) with languag\$3 - 5 "no" near3 semantic\$5 with (equal\$3 equival\$6 match\$3) same user\$3 semantic\$5 with (equal\$3 equival\$6 match\$3) same user\$3 - 8 semantic\$5 with (equal\$3 equival\$6 match\$3) USPAT; US-PGPUB - 1 semantic\$5 with (equal\$3 equival\$6 match\$3) USPAT; US-PGPUB - 1 semantic\$5 with (equal\$3 equival\$6 match\$3) USPAT; US-PGPUB - 2004/07/20 14:57 - 8 semantic\$5 with (equal\$3 equival\$6 match\$3) USPAT; US-PGPUB - 1 semantic\$5 with (equal\$3 equival\$6 match\$3) USPAT; US-PGPUB - 2004/07/20 14:57 - 2004/07/20 14:57 - 2004/07/20 14:57 - 2004/07/20 14:57 - 2004/07/20 14:57 - 2004/07/20 14:59 - 2004/07/20 15:03			, , , , , , , , , , , , , , , , , , , ,		
US-PGPUB   USPAT;   US-P			"5995920").PN.		1
US-PGPUB   USPAT;   US-P	_	4022	704.clas, and (constrain\$3 restrict\$3)	USPAT:	2004/07/20 12:50
226		1022	, , , , , , , , , , , , , , , , , , , ,		22.50
Solution			704/0 01 /man-t	i	2004/07/00 10 50
30	-	226	/U4/2,8.ccis. and (constrain\$3 restrict\$3)	1	2004/07/20 12:50
Same semantic\$5				US-PGPUB	
Same semantic\$5	_	30	704/2.8.ccls. and (constrain\$3 restrict\$3)		2004/07/20 13:04
c					=====, ==, ===
information	] ]				0004/07/00 55 55
3   templat\$3 near2 semantic\$ near3 information	-	0			2004/07/20 13:04
d2	1	1	information	US-PGPUB	1
d2	1_	3	templat\$3 near2 semantic\$ near3 information	USPAT:	2004/07/20 13:05
- 42 templat\$3 with semantic\$ with information - ("6139201").PN ("814:48 - ("814:4			Complated Hould Bomanetoy Hould Intolination	-	=301, 0., 20 13.03
1					
- 1 ("6139201").PN.  3 uni\$5 with synta\$6 with concept\$5 and concept\$5 with (various\$3 multipl\$3 USPAT; US-PGPUB equival\$6)  - 1 semantic\$5 with (equal\$3 equival\$6 match\$3) with (equal\$3 equival\$6 match\$3) uspat; US-PGPUB usth (equal\$3 equival\$6 match\$3) uspat; US-PGPUB usth (equal\$3 equival\$6 match\$3) uspat; US-PGPUB usth (equal\$3 equival\$6 match\$3) ush (semantic\$5 with (semantic\$3) with (semantic\$3) with (semantic\$5 with (equal\$3 equival\$6 match\$3) uspat; US-PGPUB (equal\$3 equival\$6 match\$3) with (semantic\$5 with (synonym\$5 semantic\$5 concept\$5 uspat; US-PGPUB (equal\$3 equival\$6 match\$3) with (synonym\$5 semantic\$5 concept\$5 uspat; US-PGPUB (equal\$3 equival\$6 match\$3) with (synonym\$5 semantic\$5 concept\$5 uspat; US-PGPUB (equal\$3 equival\$6 match\$3) with (synonym\$5 semantic\$5 concept\$5 uspat; US-PGPUB (symbol\$3) with (equal\$3 equival\$6 match\$3) uspat; US-PGPUB (symbol\$3) with (synonym\$5 semantic\$5 concept\$5 uspat; US-PGPUB (symbol\$3) with (synonym\$5 semantic\$5 with (synonym\$5 se	-	42	templat\$3 with semantic\$ with information		2004/07/20 13:09
- 1 ("6139201").PN.  3 uni\$5 with synta\$6 with concept\$5 and concept\$5 with (various\$3 multipl\$3 USPAT; US-PGPUB equival\$6)  - 1 semantic\$5 with (equal\$3 equival\$6 match\$3) with (equal\$3 equival\$6 match\$3) uspat; US-PGPUB usth (equal\$3 equival\$6 match\$3) uspat; US-PGPUB usth (equal\$3 equival\$6 match\$3) uspat; US-PGPUB usth (equal\$3 equival\$6 match\$3) ush (semantic\$5 with (semantic\$3) with (semantic\$3) with (semantic\$5 with (equal\$3 equival\$6 match\$3) uspat; US-PGPUB (equal\$3 equival\$6 match\$3) with (semantic\$5 with (synonym\$5 semantic\$5 concept\$5 uspat; US-PGPUB (equal\$3 equival\$6 match\$3) with (synonym\$5 semantic\$5 concept\$5 uspat; US-PGPUB (equal\$3 equival\$6 match\$3) with (synonym\$5 semantic\$5 concept\$5 uspat; US-PGPUB (equal\$3 equival\$6 match\$3) with (synonym\$5 semantic\$5 concept\$5 uspat; US-PGPUB (symbol\$3) with (equal\$3 equival\$6 match\$3) uspat; US-PGPUB (symbol\$3) with (synonym\$5 semantic\$5 concept\$5 uspat; US-PGPUB (symbol\$3) with (synonym\$5 semantic\$5 with (synonym\$5 se				US-PGPUB	
3	_	1	("6139201").PN.		2004/07/20 14:27
- 3 uni\$5 with synta\$6 with concept\$5 and concept\$5 with (various\$3 multipl\$3 plural\$3) with languag\$3 - 5 "no" near3 semantic\$5 with (equal\$3 equival\$6 match\$3) same user\$3 - 23 semantic\$5 with (equal\$3 equival\$6 match\$3) same user\$3 same user\$3 same (languages) - 8 semantic\$5 with (equal\$3 equival\$6 match\$3) uspAT; same user\$3 with (enter\$3) with (equal\$3 equival\$6 match\$3) uspAT; same user\$3 with (enter\$3) with (equal\$3 equival\$6 match\$3) uspAT; same user\$3 with (enter\$3) with (equal\$3 equival\$6 match\$3) uspAT; same user\$3 with (enter\$3) with (semantic\$3) uspAT; same user\$3 with (enter\$3) with (semantic\$3) uspAT; same user\$3 with (equal\$3 equival\$6 match\$3) uspAT; same user\$3 uspAT; same user\$3 with (equal\$3 equival\$6 match\$3) uspAT; same user\$3 uspAT; same user\$			( 0132501 ) · 114 ·	•	2504,07,20 14.27
concept\$5 with (various\$3 multipl\$3   US-PGPUB				1	
plural\$3) with languag\$3   To" near3 semantic\$5 with (equal\$3 equival\$6 match\$3) same user\$3   USPAT;   USPAT	-	3		USPAT;	2004/07/20 14:48
plural\$3) with languag\$3   To" near3 semantic\$5 with (equal\$3 equival\$6 match\$3) same user\$3   USPAT;   USPAT	1 1		concept\$5 with (various\$3 multipl\$3	US-PGPUB	
- 5 "no" near3 semantic\$5 with (equal\$3	1				
equival\$6 match\$3) same user\$3  semantic\$5 with (equal\$3 equival\$6 match\$3) same user\$3 same (languages)  semantic\$5 with (equal\$3 equival\$6 match\$3) same user\$3 with (enter\$3) with (equal\$3 equival\$6)  semantic\$5 with (equal\$3 equival\$6 match\$3) equival\$6)  semantic\$5 with (equal\$3 equival\$6 match\$3) and user\$3 with (enter\$3) with (semantic\$3) with (equal\$3 equival\$6) semantic\$5 with (equal\$3 equival\$6 match\$3) and (enter\$3) with (semantic\$3) with (equal\$3 equival\$6 match\$3) and (enter\$3) with (semantic\$3) with (equal\$3 equival\$6) semantic\$5 with (equal\$3 equival\$6 match\$3) and (enter\$3) with (semantic\$5 concept\$5 symbol\$3) with (equal\$3 equival\$6 match\$3) same (empt\$3 blank\$3) and (enter\$3) with  US-PGPUB  USPAT; USPAT; US-PGPUB  US-PGPUB  US-PGPUB  US-PGPUB	<b> </b>	_		HODAE	2004/07/20 14 50
- 23 semantic\$5 with (equal\$3 equival\$6 match\$3)	<del>-</del>	5		i -	2004/0//20 14:50
- 23 semantic\$5 with (equal\$3 equival\$6 match\$3)				US-PGPUB	
same user\$3 same (languages) semantic\$5 with (equal\$3 equival\$6 match\$3) same user\$3 with (enter\$3) with (equal\$3 equival\$6 semantic\$5 with (equal\$3 equival\$6 match\$3) and user\$3 with (enter\$3) with (semantic\$3) with (equal\$3 equival\$6 match\$3) with (equal\$3 equival\$6 match\$3) semantic\$5 with (equal\$3 equival\$6 match\$3) semantic\$5 with (equal\$3 equival\$6 match\$3) and (enter\$3) with (semantic\$3) with (equal\$3 equival\$6) smantic\$5 with (equal\$3 equival\$6 match\$3) uspat; uspat	_	23		USPAT:	2004/07/20 14:53
- 8 semantic\$5 with (equal\$3 equival\$6 match\$3) USPAT; US-PGPUB equival\$6)  - 1 semantic\$5 with (equal\$3 equival\$6 match\$3) USPAT; US-PGPUB equival\$6)  - 1 semantic\$5 with (equal\$3 equival\$6 match\$3) USPAT; US-PGPUB with (equal\$3 equival\$6)  - 4 semantic\$5 with (equal\$3 equival\$6 match\$3) USPAT; US-PGPUB with (equal\$3 equival\$6 match\$3) USPAT; US-PGPUB (equal\$3 equival\$6)  - 3 "no" with (synonym\$5 semantic\$5 concept\$5 USPAT; USPAT; Symbol\$3) with (equal\$3 equival\$6 match\$3) USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPGPUB same (empt\$3 blank\$3) and (enter\$3) with					, ,
same user\$3 with (enter\$3) with (equal\$3		_			2004/07/20 11 5=
equival\$6)  semantic\$5 with (equal\$3 equival\$6 match\$3) and user\$3 with (enter\$3) with (semantic\$3) with (equal\$3 equival\$6) semantic\$5 with (equal\$3 equival\$6 match\$3) and (enter\$3) with (semantic\$3) with (equal\$3 equival\$6)  no" with (synonym\$5 semantic\$5 concept\$5 symbol\$3) with (equal\$3 equival\$6 match\$3) same (empt\$3 blank\$3) and (enter\$3) with	-	8			2004/07/20 14:57
- 1 semantic\$5 with (equal\$3 equival\$6 match\$3) uspaT; and user\$3 with (enter\$3) with (semantic\$3) uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; and (enter\$3) with (equal\$3 equival\$6 match\$3) uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaDl\$3 equival\$6)  - 3 "no" with (synonym\$5 semantic\$5 concept\$5 uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaDl\$3) with (equal\$3 equival\$6 match\$3) uspaT; uspaT; uspaT; uspaT; uspaDl\$3) with (equal\$3 equival\$6 match\$3) uspaT; uspaT; uspaT; uspaT; uspaT; uspaDl\$3 same (empt\$3 blank\$3) and (enter\$3) with			same user\$3 with (enter\$3) with (equal\$3	US-PGPUB	
- 1 semantic\$5 with (equal\$3 equival\$6 match\$3) uspaT; and user\$3 with (enter\$3) with (semantic\$3) uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; and (enter\$3) with (equal\$3 equival\$6 match\$3) uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaDl\$3 equival\$6)  - 3 "no" with (synonym\$5 semantic\$5 concept\$5 uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaT; uspaDl\$3) with (equal\$3 equival\$6 match\$3) uspaT; uspaT; uspaT; uspaT; uspaDl\$3) with (equal\$3 equival\$6 match\$3) uspaT; uspaT; uspaT; uspaT; uspaT; uspaDl\$3 same (empt\$3 blank\$3) and (enter\$3) with			· · · · · · · · · · · · · · · · · · ·		
and user\$3 with (enter\$3) with (semantic\$3) with (equal\$3 equival\$6) semantic\$5 with (equal\$3 equival\$6 match\$3) and (enter\$3) with (semantic\$3) with (equal\$3 equival\$6)  no" with (synonym\$5 semantic\$5 concept\$5 symbol\$3) with (equal\$3 equival\$6 match\$3) same (empt\$3 blank\$3) and (enter\$3) with	_	,		HISDAT.	2004/07/20 14:50
with (equal\$3 equival\$6)  semantic\$5 with (equal\$3 equival\$6 match\$3)  and (enter\$3) with (semantic\$3) with  (equal\$3 equival\$6)  "no" with (synonym\$5 semantic\$5 concept\$5  symbol\$3) with (equal\$3 equival\$6 match\$3)  same (empt\$3 blank\$3) and (enter\$3) with	-				2004/07/20 14:58
- 4 semantic\$5 with (equal\$3 equival\$6 match\$3) USPAT; US-PGPUB (equal\$3 equival\$6) - 3 "no" with (synonym\$5 semantic\$5 concept\$5 symbol\$3) with (equal\$3 equival\$6 match\$3) USPAT; USPA				US-PGPUB	1
- 4 semantic\$5 with (equal\$3 equival\$6 match\$3) USPAT; US-PGPUB (equal\$3 equival\$6) - 3 "no" with (synonym\$5 semantic\$5 concept\$5 symbol\$3) with (equal\$3 equival\$6 match\$3) USPAT; USPA	, ,				1
and (enter\$3) with (semantic\$3) with (cequal\$3 equival\$6)  - 3 "no" with (synonym\$5 semantic\$5 concept\$5 USPAT; 2004/07/20 15:03 symbol\$3) with (equal\$3 equival\$6 match\$3) US-PGPUB same (empt\$3 blank\$3) and (enter\$3) with	-	4		USPAT:	2004/07/20 14:59
<pre>(equal\$3 equival\$6) - 3 "no" with (synonym\$5 semantic\$5 concept\$5</pre>		1		1	= 3 = 7 = 7, 2 = 2 = 7, 3 = 7
- 3 "no" with (synonym\$5 semantic\$5 concept\$5 USPAT; 2004/07/20 15:03 symbol\$3) with (equal\$3 equival\$6 match\$3) US-PGPUB same (empt\$3 blank\$3) and (enter\$3) with				US-FGFUB	
symbol\$3) with (equal\$3 equival\$6 match\$3) US-PGPUB same (empt\$3 blank\$3) and (enter\$3) with					1
symbol\$3) with (equal\$3 equival\$6 match\$3) US-PGPUB same (empt\$3 blank\$3) and (enter\$3) with	-	3	"no" with (synonym\$5 semantic\$5 concept\$5	USPAT;	2004/07/20 15:03
same (empt\$3 blank\$3) and (enter\$3) with	, ,			US-PGPUB	
	[				1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
(semantic\$3 synonym\$3 symbol\$3) with					
(equal\$3 equival\$6)			(equal\$3 equival\$6)		

F	10	(synonym\$5 semantic\$5 concept\$5 symbol\$3)	USPAT;	2004/07/20 15:04
-	10	with (equal\$3 equival\$6 match\$3) same	US-PGPUB	2004/07/20 13:04
		(empt\$3 blank\$3) and (enter\$3) with	03-10105	
		(semantic\$3 synonym\$3 symbol\$3) with		
	la constant of the constant of	(equal\$3 equival\$6)	<u> </u>	
	4		USPAT;	2004/07/20 15:08
_	*	(equal\$3 equival\$6 match\$3) same (empt\$3	US-PGPUB	2004/07/20 15:08
		blank\$3) and (input\$4 enter\$3 add\$3) with	US-FGFUB	
ŀ		(semantic\$3 synonym\$3 symbol\$3) with		
		(equal\$3 equival\$6)		1
<u> </u>	14	("no" "not" "none") with (synonym\$5	USPAT;	2004/07/20 15:51
-	1-4	semantic\$5 concept\$5) with (equal\$3	US-PGPUB	2004/07/20 15.51
	1	equival\$6 match\$3) and (input\$4 enter\$3	03-FGF0B	
		add\$3) with (semantic\$3 synonym\$3 symbol\$3)		
		with (equal\$3 equival\$6)		
! _	50	syntax with (different multiple various	USPAT;	2004/07/20 15:53
-	]	several plural\$5) near1 languag\$3	US-PGPUB	2004/07/20 13.33
l _	69	synta\$5 with (different multiple various	USPAT;	2004/07/20 15:53
	0,5	several plural\$5) near1 languag\$3	US-PGPUB	2004/07/20 13.33
_	91	synta\$5 with (different multiple various	USPAT;	2004/07/20 15:54
		several plural\$5) adj2 languag\$3	US-PGPUB	2004/07/20 13.54
_	145610	synta\$5 with (different multiple various	USPAT;	2004/07/20 15:54
	143010	several plural\$5) ad12 languag\$3	US-PGPUB	2004/07/20 13.54
_	46	synta\$5 with (different multiple various	USPAT;	2004/07/20 15:54
	1	several plural\$5) adj1 languag\$3	US-PGPUB	2004/07/20 13.34
_	28	synta\$5 with (different multiple various	USPAT;	2004/07/20 15:54
	20	several plural\$5) adj1 languages	US-PGPUB	2004/07/20 13:34
L	1	beverar prararys, adjr ranguages	OD IGFOR	L.